



Lamm

C 900



C 900 design Baldanzi & Novelli

Poltrona per auditorium e sale conferenze, che si caratterizza per il design rigoroso ed essenziale, decisamente orientato all'ergonomia e alla funzionalità. Qualificata da un sistema brevettato di chiusura sincronizzata di sedile e schienale, che ne accentua la compattezza riducendone l'ingombro, in modo da consentire maggiore libertà nei movimenti e una seduta più accogliente e confortevole.

Armchair for auditoriums and conference halls, characterised by a rigorous, essential design that is clearly orientated towards ergonomics and functionality. Qualified by a patented synchronous closing system for the seat and back, which accentuates the firmness while reducing the volume so as to allow greater freedom of movement and provide a snugger, more comfortable seat.

La flessibilità del sistema costruttivo consente allestimenti in piano e su gradoni, in file diritte o in curva. Disponibile in una vasta gamma di colori, sia in tessuto che in pelle.

The flexibility of the structural system allows installation on horizontal flooring and on steps, in straight or curved rows. Available in a wide range of colours, in fabric or leather coverings.









**Retro schienale disponibile
completamente imbottito
o con protezione in
termoplastica alta o bassa.
Accessori: numerazione
fila/posto, tavoletta
antipanico reclinabile
a scomparsa.**

The backrest can be full
padded or supplied with a
black thermoplastic guard
in two size, high or low.
Accessories: row and seat
numbering, writing tablet
with anti-panic movement,
folding in the side.

Disegni tecnici Technical drawings



Per installazioni su gradini la distanza tra fila e fila varia in rapporto all'altezza del gradino.

For installations on steps the distance between rows varies in relation to the height of the step.



Caratteristiche tecniche

- Sedile e schienale con struttura interna in tubolare di acciaio. Imbottitura in poliuretano espanso, schiumato a freddo, a combustione ritardata.

Sistema di ribaltamento sincronizzato sedile-schienale mediante meccanismo brevettato.

Il retro schienale può essere completamente imbottito o dotato di protezione in termoplastica di colore nero in due dimensioni, alto o basso.

Il sedile nella parte inferiore può essere dotato di pannello fonoassorbente in legno forato. Rivestimento in tessuto o in pelle.

- Fiancate con struttura interna in lamiera stampata e pannelli copri struttura in polipropilene. Imbottitura in poliuretano espanso, rivestimento in tessuto o in pelle.

- Poggia braccio imbottito o in legno di faggio verniciato all'anilina colore nero.

- Piedi di ancoraggio a pavimento costituiti da carter in lamiera stampata, verniciata antigraffio colore nero.

Installazioni su piani orizzontali, su piani inclinati o su gradoni, in file diritte o in curva (raggio minimo 8 m).

Accessori

Numerazione fila e numerazione posto in polipropilene nero.

Tavoletta in Medium Density con finitura PVC antigraffio colore nero, ribaltabile con movimento antipanico a scomparsa all'interno della fiancata.

Technical specifications

- Seat and back finish with internal structure in tubular steel. Padding in cold-moulded polyurethane foam, flame-retardant.

Synchronized tip-up system for seat and back through a patented mechanism. The backrest can be fully padded or supplied with a black thermoplastic guard in two size, high or low. The lower part of the seat can be equipped with a soundproof panel in perforated wood. Fabric or leather covering.

- Sides with internal structure in pressed sheet metal and polypropylene panels covering the structure. Expanded polyurethane padding. Fabric or leather covering.

- Padded arm rest or arm rest in natural beech, aniline painted in black.

- Feet for floor fixing consisting of a guard cover in scratchproof pressed sheet metal, painted in black.

Installation on horizontal flooring, inclined flooring or on steps, in straight or curved rows (minimum radius 8 m).

Accessories

Row numbering and seat numbering in black polypropylene.

Writing tablet in Medium Density PVC finish, scratch-proof, colour black, folding in the side, with anti-panic movement.



C 900 design Baldanzi & Novelli

Lamm spa via Verdi, 19/21 43017 San Secondo Parmense (Pr), Italy
t. +39 0521.877511 fax +39 0521.877599 www.lamm.it info@lamm.it

